

8mm 3K chain - yellow-red-black

Sorfan

SKU: LA8YRB

Gross Price: \$3.03

Net Price: \$2.55



Technical Specification

Attribute	Value
Dimension	8 mm
Color	Black/red/yellow
Material	Polyethylene
Weight	0,13 kg/Lfm
Shipping time	1-2 days

Description

Plastic barrier chain 8 mm yellow-red-black

Practical partitioning and effective marking of hazardous zones. This certified **PE plastic chain 8 mm** in yellow-red-black features complete UV stabilization, flexibility, and premium workmanship straight from European factories.

Solid link integration ensures a homogeneous structure with no weak points. The supplied package size is package / bag 25 m, which can be effortlessly cut and connected with S-hook connectors or snap-on O-rings depending on your current needs.

The price is for 1 linear meter

The chain is sold by the meter – if you add e.g. 5 pieces to the cart, you will receive 5 meters of chain in a single continuous piece. Should you require the chain to be cut into multiple pieces (e.g. 5 times 1 meter), please leave an instruction in the order notes.

Technical Specification

Link width (diameter)	8 mm
Length and packaging	package / bag 25 m
Material	High-density polyethylene (HDPE) - UV and frost resistant
Product weight	0,13 kg/Lfm
Country of origin	European Union (Italy/EU)

Intended Use and Installation Areas

- **Road and parking barriers:** Rapid marking of temporary traffic diversions, lane boundaries, and parking spaces.
- **Warehouses and factories:** Securing storage areas, walkways, and safety aisles for forklift trucks.
- **Construction sites and events:** Temporary cordoning of hazards, open excavations, and spectator management at events.

Key Advantages and Practical Benefits

- **Link diameter 8 mm:** The ideal combination of lightweight design and optimal mechanical tensile strength.

- **Manufactured in the European Union:** Production in a European facility ensures full compliance with strict quality and safety standards.
- **Packaging package / bag 25 m:** Easy transportation, quick cutting, and instant installation at the work site.
- **Complete UV and frost resistance:** The premium HDPE material will not brittle or lose its warning color under direct sunlight.