

Column protector 210/260mm

Sorfan

SKU: OCHCOL21/26/110/55PEYR0

Gross Price: \$266.39

Net Price: \$223.86



Technical Specification

Attribute	Value
Dimension	1100x550 mm
Color	Yellow
Material	Polyethylene
Weight	15 kg
Shipping time	3-7 days

Description

Column protector 210/260mm - polyethylene warehouse post protection

The professional **column protector 210/260mm**, manufactured from premium high-density polyethylene, is an outstanding security solution designed to shield structural pillars, posts, and columns in warehouses and manufacturing facilities. Due to its bright, highly visible yellow color, it is easily noticed by forklift drivers, reducing accidental collision risks.

The protector is engineered to absorb impact energy, protecting your facility’s vital structural pillars from costly damages. The high-quality PE material is completely crack-resistant, weather-proof, and UV-stabilized, making it suitable for both indoor operations and outdoor loading docks.

Technical Specification

Protector height	1100 mm (110 cm)
External diameter	550 mm (55 cm)
Column compatibility	round and square columns of 200 mm, 210 mm, 250 mm, 260 mm and smaller
Material	High-quality, shock-absorbent Polyethylene (PE)
Color	Yellow (safety warning color)
Product weight	approx. 15 kg
Mounting method	Fixed with M12x70 bolts (bolts are not included in the package)

Product Applications

- **High-bay warehouses:** Shielding storage rack uprights from forklift or pallet impacts.
- **Industrial plants:** Protection for technical pipelines, vertical utility ducts, and steel posts.
- **Car parks & underground garages:** Structural concrete column protection in tight maneuvering lanes.

Key Advantages

- **Flexible PE material:** Excellent impact absorption, restoring its original shape after deformation.
- **Universal fit:** Smart modular design adapts to both round and square posts within a wide size range.
- **High visibility:** Bright yellow finish ensures excellent warning performance even in low-lit

warehouse aisles.

- **Heavy-duty floor installation:** Bolted base ensures the protector stays firmly in place.